

## **IECEx Certificate** of Conformity

### INTERNATIONAL ELECTROTECHNICAL COMMISSION **IEC Certification Scheme for Explosive Atmospheres**

for rules and details of the IECEx Scheme visit www.iecex.com

Ce	4:5	-		N I	
υe	LII	Ca	œ	IVI	D.:

IECEx FTZU 09.0018

issue No.:0

Certificate history:

Status:

Current

Date of Issue:

2009-08-26

Page 1 of 3

Applicant:

ELSTA Sp. z o.o. ul. Janińska 32, 32-020 Wieliczka

Poland

Electrical Apparatus:

Intrinsically safe relay board type UWI-01

Optional accessory:

Intrinsic safety

Type of Protection:

Marking:

[Ex ib] I

Approved for issue on behalf of the IECEx

Certification Body:

Dipl. Ing. Jaroslav Šindler

Position:

Head of Certification Body

Signature: (for printed version)

1. This certificate and schedule may only be reproduced in full.

2. This certificate is not transferable and remains the property of the issuing body.

3. The Status and authenticity of this certificate may be verified by visiting the Official IECEx Website.

Certificate issued by:

Fyzikalne technicky zkusebni ustav (Physical -Technical Testing Institute) Pikartska 7 71607 Ostrava - Radvanice Czech Republic





# IECEx Certificate of Conformity

Certificate No.:

IECEx FTZU 09.0018

Date of Issue:

2009-08-26

Issue No.: 0

Page 2 of 3

Manufacturer:

ELSTA Sp. z o.o. ul. Janińska 32, 32-020 Wieliczka Poland

#### Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

#### STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0: 2004

Electrical apparatus for explosive gas atmospheres - Part 0: General requirements

Edition: 4.0

IEC 60079-11: 2006

Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"

Edition: 5

This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.

#### **TEST & ASSESSMENT REPORTS:**

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

#### Test Report:

CZ/FTZU/ExTR09.0018/00

Quality Assessment Report: CZ/FTZU/QAR09.0003/00



## **IECEx Certificate** of Conformity

Certificate No.:

IECEx FTZU 09.0018

Date of Issue:

2009-08-26

Issue No.: 0

Page 3 of 3

#### Schedule

#### **EQUIPMENT:**

Equipment and systems covered by this certificate are as follows:

The intrinsically safe device type UWI-01 provides function of contact outputs for master control unit. For application at mining machine control the device must be installed in flameproof enclosure "d". Maximum input parameters:

Connectors CON2 - CON5: Ui = 30 V; Ii = 2 A; Li = 0; Ci = 0

Ambient temperature: 0°C ≤ Ta ≤ 60°C
Connectors CON2, CON3, CON4, CON5 are galvanic isolated and can be used for different intrinsically safe circuits. All contacts of the connector CONx make one intrinsically safe circuit, where  $x = \{2, 3, 4, 5\}$ 

Instruction for use - see document ELS-376.3.01/08

ONDITIONS OF CERTIF	ICATION: NO			